



paying attention to minor details.



103 DE



SPECIFICATIONS


GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	Monoblock, Forged Steel
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Mobile
TOP RIB	8 mm
ENGRAVING	Hand Made Engraving
TRIGGER TYPE	Single Selective Trigger
UNLOADING	Ejector
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	2,5 - 3,5 kg
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chromed
WEIGHT	3,4 kg approx. (12 ga / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	115 cm / 368 mm
PACKING	Hard Plastic Case

GAUGE OPTIONS	12, 20 Ga
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	Black, Silver, Case Hardene

103 DE mini

S P E C I F I C A T I O N S GAUGE/CHAMBER .410 ga. / 76 mm (3") RECEIVER Monoblock, Forged Steel BARREL Processed From Full Material of 4140 Steel BARREL CHOKE Fixed (Mobile for 28 ga) TOP RIB 6 mm

GAUGE OPTIONS	28, .410 Ga
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	Black, Silver,
	Case Hardene







103 FE mini



SPECIFICATIONS

GAUGE/CHAMBER	.410 ga. / 76 mm (3")
RECEIVER	Monoblock, Forged Steel
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Fixed (Mobile for 28 ga)
TOP RIB	6 mm
ENGRAVING	Hand Made Engraving, Relief Figures
TRIGGER TYPE	Single Selective Trigger
UNLOADING	Ejector
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	2,5 - 3,5 kg
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chromed
WEIGHT	2,5 kg approx. (.410 ga / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	116 cm / 368 mm
PACKING	Hard Plastic Case

GAUGE OPTIONS	28, .410 Ga
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	GR4, GR5, Case Hardene



silver

SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	Monoblock, Forged Steel
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Mobile
TOP RIB	8 mm
ENGRAVING	Hand Made Engraving
TRIGGER TYPE	Double Trigger
UNLOADING	Extractor
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	3 kg approx
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chromed
WEIGHT	3,2 kg approx. (12 ga. / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	115 cm / 368 mm
PACKING	Hard Plastic Case

GAUGE OPTIONS	12, 20 ga
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	Black, Silver,
	Case Hardene



SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	Monoblock, Forged Steel
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Mobile
TOP RIB	8 mm
ENGRAVING	Hand Made Engraving
TRIGGER TYPE	Single Selective Trigger
UNLOADING	Extractor
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	2,5 - 3,5 kg
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chrome
WEIGHT	3,2 kg approx. (12 ga. / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	115 cm / 368 mm
PACKING	Cardboard Box
	A CONTRACTOR OF THE PARTY OF TH

GAUGE OPTIONS	12, 20, 28, .410 g
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	Black, Silver









AUGE/CHAMBER 12 ga. / 76 mm (3")	
RECEIVER	7075 Aluminium
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Mobile
TOP RIB	8 mm
ENGRAVING	Laser
TRIGGER TYPE	Single Selective Trigger
UNLOADING	Extractor
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	2,5 - 3,5 kg
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chromed
WEIGHT	2,7 kg approx. (12 ga. / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	115 cm / 368 mm
PACKING	Hard Plastic Case

GAUGE OPTIONS	12, 20 ga
BARREL LENGTH	66, 71, 76 cm

S 1 2 E silver black

SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	Monoblock, Forged Steel
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Mobile
TOP RIB	8 mm
TRIGGER TYPE	Single Selective Trigger
UNLOADING	Ejector
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	2,5 - 3,5 kg
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chromed
WEIGHT	3,4 kg approx. (12 ga. / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	115 cm / 368 mm
PACKING	Hard Plastic Case

BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	Black, Silver





















200 A / 202 B



SPECIFICATIONS

	200 A
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	Monoblock, Forged Steel
BARREL	Processed From Full Material of 4140 Steel
BARREL CHOKE	Mobile
RIB	Raised
ENGRAVING	Hand Made Engraving
TRIGGER TYPE	Single Selective Trigger
UNLOADING	Extractor
FRONT SIGHT	Bradley Style White
WOOD	Turkish Walnut
TRIGGER PULL	2,5 - 3,5 kg
SAFETY	Manuel
BARREL FINISH	Outside Black Chromed / Inside Silver Chromed
WEIGHT	3,2 kgs approx. (12 ga. / 71 cm)
OVERALL LENGTH / LENGTH OF PULL	115 cm / 368 mm
PACKING	Hard Plastic Case

202 B
12 ga. / 76 mm (3")
Monoblock, Forged Steel
Processed From Full Material of 4140 Steel
Mobile
Raised
Hand Made Engraving
Double Trigger
Extractor
Bradley Style White
Furkish Walnut
2,5 - 3,5 kg
Manuel
Outside Black Chromed / Inside Silver Chromed
3,2 kgs approx. (12 ga. / 71 cm)
115 cm / 368 mm
Hard Plastic Case


GAUGE OPTIONS	12, 20, 28, .410 Ga
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	Black, Silver, Case Harde





\cap	\Box	τ	1	\cap	ΛI	(
U	Γ	1	1	U	Ν	

BARREL OPTIONS	66, 71, 76 cm
RECEIVER FINISH	Black, Silver,
	Case Hardened





SPECIFICATIONS

12 ga. / 76 mm (3")
Monoblock, Forged Steel
Processed From Full Material of 4140 Steel
Mobile
Raised
Hand Made Engraving, Relief Figures
Single Selective Trigger
Extractor
Bradley Style White
Turkish Walnut
2,5 - 3,5 kg
Manuel
Outside Black Chromed / Inside Silver Chromed
3,3 kgs approx. (12 ga. / 71 cm)
115 cm / 368 mm
Hard Plastic Case

GAUGE OPTIONS	12, 20, 28, .410 Ga
BARREL LENGTH	66, 71, 76 cm
RECEIVER FINISH	GR4 GR5 Case Harden





LUXURY MODELS









SINGLE BARREL

Legends do not perish: they are re-interpreted.

Everyone saw this shotgun at a distant village in rurals or in a nostalgic movie. Almost every shotgun you have seen in these cases; had a Huglu sign under it. Single barrels have a particular significance for us. History of Huglu is full of single barrel shotguns. Strength and quality of our single barrel shotguns have a great share in our becoming a world wide recognized brand. Knowing and respecting this fact, we sustain our best efforts in producing the best single barrel shotguns of our country.





VEYRON

Hemmer

"Hammer Locking System" (patent pending) developed by Huglu eliminates a big trouble that the shooters who like to make fast and serial shootings might encounter. If your fingers are faster than even your shotgun and so you pull the trigger before the breech bolt goes into the battery, Hammer Locking System prevents the hammer to drop and then you don't miss the next fire.

DROP ADJUSTING SHIMS

You can now customize your gun just like many things that add value to your life. Shims allowing for adjusting the stock to your measurements in right-left-up-down directions will integrate you with your shotgun.

SLIGHT FORCE

Conic section after the chamber is extended in this improved barrel, and thus, both muzzle jump and felt recoil are reduced. In addition to Ex-Bore barrel, this feature offered by Veyron ensures more stable shots in hunts without tiring.

EX(BORE®

You will be capable of hunting at longer distances and shooting with better pattern thanks to 18,75 barrel bore diameter. Already proven in Renova model, this barrel easily keeps Veyron ahead of the game.

TRIGGER PULL

Only 2,3 kg trigger pull weight will provide a big advantage to keep you onto your target while pulling the trigger.

S O F T IMPACT

comfortable shot for the gun owner lies with recoil intensity. Our engineers have developed a recoil pad consisting of special components so the recoil intensity is felt minimally. This pad not only absorbs the recoil intensity, but also makes shotgun shouldering easier.

Also with 3 different sizes butt pads in total, you will have a chance to change your length of pull on the gun.

We are aware that the secret behind a

ALUMINUM TRIGGER GUARD

We paid utmost attention to manufacture each detail of Veyron from finest components. Trigger guard which constitutes the frame of the trigger group is entirely made of aluminum with machining just like all other semiautomatic models, and thus, we've minimized deformations which may occur for years to come, and thereby extended the service life of your gun.

VEVRON

FAST.


Due to new improved gas piston system,
Veyron mechanism cycles much more
faster and needs less cleaning compared
with a regular gas operated semi auto
shotgun. Thus, while Veyron minimize
the cleaning requirement that is the
most unfavorable side on a gas operated
shotgun, it gives shooters an opportunity
to enjoy a mechanism cycling too fast.

ACTIVE CHOKE

7 cm long mobile chokes increase your pattern efficiency and offers significant advantages in your hunts. And one additional extended MOD knurled choke comes with Veyron will give an extra advantage during your shootings.

TECHNICAL SPECIFICATIONS





WORKING SYSTEM	Gas Operated with Front Action Spring	
GAUGE/CHAMBER	12 ga. / 76 mm (3")	
RECEIVER	7075 Aluminium	
BARREL	Processed from full material of 4140 steel	
BARREL CHOKE	Mobile (Fixed CYL for Slug Barrel)	
DOVETAIL	Yes	
TOP RIB	7 mm (Adjustable Rear Sight for Slug Barrel)	
FRONT SIGHT	Red Fiber Optic	
STOCK	Turkish Walnut	
BUTT PLATE	Soft Impact	
TRIGGER PULL	2,3 kg	
SAFETY	Cross-bolt on the trigger guard	
FINISH	Matte black anodizing	
CAPACITY	4+1	
WEIGHT	3,2 kg (Approx.)	
BARREL LENGTH	71 cm	
OVERALL LENGTH (Min.) / LENGTH OF PULL	124 cm / 360 mm	
PACKING	Hard Plastic Case	

GAUGE OPTIONS	12, 20 Ga
BARREL LENGTH	61 (Slug), 66, 71, 76 cm
RECEIVER FINISH	Grey, Bronze, Navy Blue, Khak



SPECIFICATIONS

WORKING SYSTEM	Gas Operated with Front Action Spring	
GAUGE/CHAMBER	12 ga. / 76 mm (3")	
RECEIVER	7075 Aluminium	
BARREL	Processed from full material of 4140 steel	
BARREL CHOKE	Mobile (Fixed CYL for Slug Barrel)	
DOVETAIL	Yes	
TOP RIB	7 mm (Adjustable Rear Sight for Slug Barrel)	
FRONT SIGHT	Red Fiber Optic	
STOCK	Synthetic	
BUTT PLATE	Soft Impact	
TRIGGER PULL	2,3 kg	
SAFETY	Cross-bolt on the trigger guard	
FINISH	Matte black anodizing	
CAPACITY	4+1	
WEIGHT	3,2 kg (Approx.)	
BARREL LENGTH	71 cm	
OVERALL LENGTH (Min.) / LENGTH OF PULL	124 cm / 360 mm	
PACKING	Hard Plastic Case	

GAUGE OPTIONS	12, 20 Ga
BARREL LENGTH	61 (Slug), 66, 71, 76 cm
RECEIVER FINISH	Grev. Bronze. Navy Blue. Kl



camo



carbon fiber



ACTIVE EXTENDED
KNURLED "MOD"



















WORKING SYSTEM	Gas Operated with Front Action Spring
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Mobile
DOVETAIL	Yes
TOP RIB	7 mm
FRONT SIGHT	Red Fiber Optic
STOCK	Synthetic
BUTT PLATE	Soft Impact
TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Camouflage
CAPACITY	4+1
WEIGHT	3,2 kg (Approx.)
BARREL LENGTH	71 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	124 cm / 360 mm
PACKING	Hard Plastic Case

OPTIONS

BARREL LENGTH 66, 71, 76 cm

RECEIVER FINISH Mossy Oak Blades, Mossy Oak Bottomland, Kryptek Highlander, Carbon Fiber



VEYRON

combo






















SPECIFICATIONS

Spring
140 steel
I

TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guar
FINISH	Matte black anodizing
CAPACITY	4+1
WEIGHT	3,2 kg (Approx.)
OVERALL LENGTH (Min.) / LENGTH OF PULL	124 cm / 360 mm
PACKING	Hard Plastic Case

STOCK	Wooden, Synthetic	
BARREL LENGTH	71, 76 cm	





V E Y R O N Sport















SPECIFICATIONS

WORKING SYSTEM	Gas Operated with Front Action Spring
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 stee
BARREL CHOKE	Extended Knurled Choke
DOVETAIL	Yes
TOP RIB	10 mm
FRONT SIGHT	Red Fiber Optic
STOCK	Synthetic
BUTT PLATE	Soft Impact
TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Blue cerekote
CAPACITY	11+1
WEIGHT	3,6 kg (Approx.)
BARREL LENGTH	76 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	129 cm / 360 mm
PACKING	Hard Plastic Case

RENOVA

INERTIA SYSTEM

Thanks to improved and reinforced Inertia System mechanism, Renova offers enjoyable shots with its mechanism that ensures maximum performance with low and high loads.

Hanner

"Hammer Locking System" (patent pending) developed by Huglu eliminates a big trouble that the shooters who like to make fast and serial shootings might encounter. If your fingers are faster than even your shotgun and so you pull the trigger before the breech bolt goes into the battery, Hammer Locking System prevents the hammer to drop and then you don't miss the next fire.

DROP ADJUSTING SHIMS

You can now customize your gun just like many things that add value to your life. Shims allowing for adjusting the stock to your measurements in right-left-up-down directions will integrate you with your shotgun.

TRIGGER PULL

Only 2,3 kg trigger pull weight will provide a big advantage to keep you onto your target while pulling the trigger.

IN SOFT

We are aware that the secret behind a comfortable shot for the gun owner lies with recoil intensity. Our engineers have developed a recoil pad consisting of special components so the recoil intensity is felt minimally. This pad not only absorbs the recoil intensity, but also makes shotgun shouldering easier.

Also with 3 different sizes butt pads in total,

of pull on the gun.

you will have a chance to change your length

ALUMINUM TRIGGER GUARD

We paid utmost attention to manufacture each detail of Renova from finest components. Trigger guard which constitutes the frame of the trigger group is entirely made of aluminum with machining just like all other semi-automatic models, and thus, we've minimized deformations which may occur for years to come, and thereby extended the service life of your gun.

SLIGHT FORCE

Conic section after the chamber is extended in this improved barrel, and thus, both muzzle jump and felt recoil are reduced. In addition to Ex-Bore barrel, this feature offered by Renova ensures more stable shots in hunts without tiring.

EX BORE


You will be capable of hunting at longer distances and shooting with better pattern thanks to 18,75 barrel bore diameter. This barrel easily keeps Renova ahead of the game.

HETIVE CHOKE

7 cm long mobile chokes increase your pattern efficiency and offers significant advantages in your hunts.

TECHNICAL SPECIFICATIONS





WORKING SYSTEM	Inertia
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE Mobile (Fixed CYL for Slug Barrel)	
DOVETAIL	Yes
TOP RIB	7 mm (Adjustable Rear Sight for Slug Barrel)
FRONT SIGHT	Red Fiber Optic
WOOD	Turkish Walnut
BUTT PLATE	Soft Impact
TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	4+1
WEIGHT	3 kg (Approx.)
BARREL LENGTH	71 cm (SLUG: 61 cm)
OVERALL LENGTH (Min.) / LENGTH OF PULL	125 cm / 360 mm (SLUG: 115 cm / 360 mm)
PACKING	Hard Plastic Case

GAUGE OPTIONS 12, 20 Ga

BARREL LENGTH 66, 71, 76 cm

RECEIVER FINISH Black, Bronze, Grey, O.D. Green



SPECIFICATIONS

WORKING SYSTEM	Inertia
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 stee
BARREL CHOKE	Mobile
DOVETAIL	Yes
TOP RIB	7 mm
FRONT SIGHT	Red Fiber Optic
STOCK	Synthetic
BUTT PLATE	Soft Impact
TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte Black Anolizing
CAPACITY	4+1
WEIGHT	3 kg
BARREL LENGTH	71 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	125 cm / 365 mm
PACKING	Hard Plastic Case

OPTIONS

GAUGE OPTIONS 12, 20 Ga. **BARREL LENGTH** 66, 71, 76 cm

Grey, Bronze, Navy Blue,

RECEIVER FINISH Khaki, Red, Gold, Blue







(/4000000000000000000000000000000000000	
WORKING SYSTEM	Inertia
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Mobile
DOVETAIL	Yes
TOP RIB	7 mm
FRONT SIGHT	Red Fiber Optic
STOCK	Synthetic
BUTT PLATE	Soft Impact
TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard

NISH	Camouflage
APACITY	4+1
EIGHT	3 kg
ARREL LENGTH	71 cm
/ERALL LENGTH (Min.) / LENGTH OF PULL	125 cm / 365 mm
CKING	Hard Plastic Case

RECEIVER FINISH Mossy Oak Blades, Mossy Oak Bottomland,
Kryptek Highlander, Carbon Fiber


BARREL LENGTH 66, 71, 76 cm



WORKING SYSTEM	Inertia
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL LENGTH	71 cm + 61 cm Slug
BARREL CHOKE	Mobile + Fixed CYL on Slug Barrel
DOVETAIL	Yes
TOP RIB	7 mm
FRONT SIGHT	Red Fiber Optic
STOCK	Synthetic
BUTT PLATE	Soft Impact
	-

TRIGGER PULL	2,3 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	4+1
WEIGHT	3 kg (Approx.)
OVERALL LENGTH (Min.) / LENGTH OF PULL	125 cm / 360 mm
PACKING	Hard Plastic Case

STOCK	Wooden, Synthetic
BARREL LENGTH	71, 76 cm



wooden combo
















G-12





SPECIFICATIONS

	7
WORKING SYSTEM	Gas Operated with Front Action Spring
GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 ste
BARREL CHOKE	Mobile
TOP RIB	8 mm
FRONT SIGHT	Red Fiber Optic
WOOD	Turkish Walnut
TRIGGER PULL	2,8 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	4+1
WEIGHT	3,3 kg (Approx.)
BARREL LENGTH	71 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	124 cm / 358 mm
PACKING	Cardboard Box

BARREL LENGTH	66, 71, 76 cm
STOCK OPTIONS	Synthetic, wood



PUMP ACTION

Ergonomic designs which are meant for perfect shooting experience.

For efficient grouping, sturdy and lightweight frame is accompanied by a barrel which is made of Italian steel. All these components come together in Huglu's semi automatic shotguns. Our experience of one century is presented for your enjoyment through semi automatic product rage of ours.



Heat Shield to protect shooter hands from the heat of the barrel.



FOLDING TELESCOPIC STOCK

TELESCOPIC STOCK

Wing Protected Front Sight

Muzzle Brake







STANDARD STOCK



PISTOL GRIP STOCK





GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed
HEAT SHIELD	Yes
PICATINNY RAIL	Yes
MUZZLE BRAKE	Yes
REAR SIGHT	Ghost Rear Sight
FRONT SIGHT	Wing Protected Sight
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	2,80 kg (Approx.)
BARREL LENGTH	46 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	76,5 cm with pistol grip
	102,50 cm / 370 mm with standard stock
	102 cm / 363 mm with pistol grip stock
	97 cm / 318 mm-347 mm-376 mm with telescopic stock
	97 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box







STOC





GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed
PICATINNY RAIL	Yes
MUZZLE BRAKE	Yes
REAR SIGHT	Ghost Rear Sight
FRONT SIGHT	Wing Protected Sight
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,10 kg(Approx.)
BARREL LENGTH	46 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	76,50 cm with pistol grip
	102,50 cm / 370 mm with standard stock
	102 cm / 363 mm with pistol grip stock
	97 cm / 318 mm-347 mm-376 mm with telescopic stock
	97 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box







STOC





SPECIFICATIONS

GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed (Mobile Choke Optional)
TOP RIB	8mm
FRONT SIGHT	Fiber Optic
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,20 kg (Approx.)
BARREL LENGTH	51 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	78 cm with pistol grip
	104 cm / 370 mm with standard stock
	103,50 cm / 363 mm with pistol grip stock
	98,50 cm / 318 mm-347 mm-376 mm with telescopic stock
	98,50 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box







OPTIONS

STOC







GAUGE/CHAMBER	12 ga. / 76 mm (3")
RECEIVER	7075 Aluminium
BARREL	Processed from full material of 4140 steel
BARREL CHOKE	Fixed
FRONT SIGHT	White
TRIGGER PULL	2,7 kg
SAFETY	Cross-bolt on the trigger guard
FINISH	Matte black anodizing
CAPACITY	7+1
WEIGHT	3,20 kg (Approx.)
BARREL LENGTH	51 cm
OVERALL LENGTH (Min.) / LENGTH OF PULL	78 cm with pistol grip
	104 cm / 370 mm with standard stock
	103,50 cm / 363 mm with pistol grip stock
	98,50 cm / 318 mm-347 mm-376 mm with telescopic stock
	98,50 cm / 318 mm-347 mm-376 mm with folding telescopic stock
PACKING	Cardboard Box
THE RESERVE ASSESSMENT OF THE PARTY OF THE P	The state of the s







STOCK





FRONT SIGHT

Collapsable & Fixed

PACKING

Hard Plastic Case

MOBIL CHOKE TYPES









EXTENDED KNURLED (12, 20, 28 Ga)

